
P6402a Customer No. 20178



P6402a Customer No. 20178






FIG. 2

ne ir ere e


P6402a Customer No. 20178



P6402a Customer No. 20178



P6402a Customer No. 20178



He Call day

P6402a Customer No. 20178




FIG. 6





FIG. 7






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

P6402a Customer No. 20178





FIG. 14

P6402a Customer No. 20178







FIG. 16

(a)

CONVERT 8 COLORS TO 15 COLORS



(b)




FIG. 17

P6402a Customer No. 20178




FIG. 18

P6402a Customer No. 20178




FIG. 19




FIG. 20




FIG. 21

THE TOTAL BEAUTIFUL STREET

L

ļ.

P6402a Customer No. 20178




FIG. 22

P6402a Customer No. 20178




FIG. 23





FIG. 24

The Control of the State of the

LOGO DATA OUTPUT BLOCK 46 |b1'b2'b3 OBJECT READ/WRITE CONTROLLER LOGO DATA STORAGE IMAGE PROCESSING BLOCK 5/3 CONTROLLER MAIN DATA BUFFER PROCESSOR TEMPORARY IMAGE 0907 FIG. 25 တ 12 PARAMETER INPUT UNIT SOURCE DATA CAPTURE UNIT LOGO DATA DISPLAY SOURCE DATA DISPLAY 15 PARAMETER INPUT b1b2b3 b1'b2' **b**3, b1b2 p3 20

P6402a

P6402a Customer No. 20178






FIG. 26





FIG. 27

P6402a Customer No. 20178



P6402a Customer No. 20178




FIG. 29

P6402a Customer No. 20178




FIG. 30

P6402a Customer No. 20178




FIG. 31